



LED String Work Light




PRODUCT FEATURES

- 5 lights or 10 lights per bunch for option. Suitable to different demand of distant.
- Light heads spaced 10 feet/3mts apart, same to traditional string work light.
- Available in 18AWG/16AWG/12AWG power wire.
- Each lamp with metal hook, flexible for easy intallation.
- Misty PC cover protect eyes better, anti-dazzle design.
- Over 50000 hours lifetime and offer 5 years warranty.
- ETL/cETL/CE/RoHS certificates.



DETAILS




With plastic cage, better protection on the light source



Flexible hook, easy installation





The AC plug with waterproof cover




US/AU/EU plug optional

SPECIFICATION


Item NO.	Watt	Lamp Quantity	Lumen	Length	CCT	Voltage	CRI	PF	Beam Angle	Awg Size	IP Rating
	50W	5pcs	6000LM±10%	50ft	3000K 4000K 5000K 5700K 6500K	AC120V AC240V	>80	>0.9	270°	18/16/12	IP65
	100W	10pcs	12000LM±10%	100ft							
	65W	5pcs	8000LM±10%	50ft							
	130W	10pcs	16000LM±10%	100ft							



DIMENSION



Option 1: It has 5 LED light heads and comes with a 50ft/ AC cord, Light heads spaced 10 feet/3mts apart



Option 2: It has 10 LED light heads and comes with a 100ft AC cord, Light heads spaced 10 feet/3mts apart

TEST DATA OF MAXIMUM LINKABLE QUANTITY

Working Condition: Input voltage is AC120V, each light head spaced 10ft apart, the maximum quantity for fixture's plug to link another fixture's socket, without extra power cord

Model Number:	50W, same power	100W, same power	65W, same power	130W, same power
18AWG	8 pieces	4 pieces	6 pieces	3 pieces
16AWG	13 pieces	6 pieces	9 pieces	5 pieces

APPLICATION

- * New Building Construction or Renovation.
- * Maintenance or storage spaces in commercial or institutional facilities.
- * Short-term maintenance projects.
- * Warehouses, factories, Exhibition halls and workshops.
- * Highway toll stations and gas stations.

